



華翰國際實業有限公司
VAHAN INTERNATIONAL INDUSTRIAL CO.,LTD

VH-BS-002(TM-H)

Price label scale

User manual

VAHAN INTL IND C. Limited

(2012version)

Catalogue

Chapter I Interpretation and Operation instruction set.....	4
1.1 Noun explanation.....	4
1.2 Operation instruction set.....	4
Chapter II Summarization	5
2.1 Appearance.....	5
2.1.1 Electronic scale outside view	5
2.1.2 Electronic scale interface diagram	5
2.2 Installation.....	6
2.3 Display and keyboard.....	6
2.3.1 Display	6
2.3.2 Keyboard.....	7
2.4 Specification parameter.....	7
2.5 Printer.....	8
2.5.1 Printer parameter.....	8
2.5.2 Fill paper	8
2.6 Reading direction	8
Chapter III User guide	8
3.1 Initial preparation.....	8
3.2 Startup.....	9
3.3 Zero manually	9
3.4 Sale.....	9
3.4.1 Weighing pricing sale	9
3.4.2 Counting pricing sale	10
3.4.3 Fixed weight pricing sale	10
3.5 Tare	10
3.5.1 Object tare.....	10
3.5.2 Numerical tare.....	11
3.6 Alter unit price	12
3.7 Discount	12
3.8 Auto print	13
3.8.1 Autoprint(weighing pricing)	13
3.8.2 Autoprint(Counting pricing mode).....	14
3.8.3 Autoprint(Fixed weight pricing mode).....	15
Chapter IV Setup	15
4.1 System parameter setup.....	15
4.2 System date setup.....	18
4.3 Weight calibration (adjustment)	19
4.4 Shortcut key setup.....	20
4.5 Lable format setup	21
4.5.1 Universal part format setup.....	21
4.5.2 Text part format setup	25
4.5.3 Print font instruction	28
4.6 IP Address setup.....	29
4.6.1 Initialization network card IP Address.....	30














4.6.2 Manually modify network IP address.....	30
Chapter V Content edit.....	31
5.1 PLU information edit	31
5.2 Particular information edit	32
5.3 Text edit	33
Chapter VI Statistic.....	33
6.1 Time slot daily report	33
6.2 Daily sell report.....	34
6.3 Single commodity time slot report.....	35
Chapter VII Clear	36
7.1 Clear away statistic data.....	36
7.2 Initialize electronic information	36
7.3 Clear commodity information	36
Chapter VIII Computer installation software	37
8.1 System request	37
8.2 Installation.....	37
8.3 Main function.....	37









Chapter I Interpretation and Operation instruction set

1.1 Noun explanation

- ◆ PLU: means commodity information, include: code、item code、unit price、department number、computing method、valid date etc.
- ◆ Hanzi section-position code: input hanzi information,4 digits number code correspond to one hanzi, every character's 4 digits code namely hanzi section-position code.
- ◆ ASCII code: input character information, 3 digits number code correspond to one character, each group of code namely ASCII code.
- ◆ Weighing pricing: one of PLU settlements mode that calculate price on the basis of weight of commodity
- ◆ Counting pricing: one of PLU settlements mode that calculate price on the basis of quantity of commodity.
- ◆ Fixed weight pricing: one of PLU settlements mode that calculate price on the basis of fixed weight.

1.2 Operation instruction set


	Operation objective	Mode	Steps		Operation outcome
			First step	Second step	
1	calling PLU data	①	Press shortcut key		Display tare of PLU,unit price
		②	Press number button	Press 	
		③	Press 	Press number button to input commodity code, and then press 	
2	Clear current PLU content	①	Press 		Clear current PLU information
3	Tare	①	After put goods on the pan,then press 		Deduct tare
		②	Input tare weight	Press 	
4	Look up time	①	Press 		Display current date and time
5	Function setup	①	Press 		Get in menu of function option , select different item correspond to function setup
6	Unit price discount	1	Press 	Input percentage discount and then press 	Achieve discount
7	Alter counting quantity	1	Press counting number	Press multiple 	Achieve altering counting quantity
8	Auto print in weighing pricing mode	1	Press PLU shortcut key and then press 	Press  in 5 seconds	Get in auto print status (weighing pricing mode)

9	Auto printing in Counting pricing mode	1	Press PLU shortcut key and then press  , and press  in 5 seconds, now prompt you to input spacing interval on tare window, then please input interval time	Press enter 	Get in auto print status (Counting pricing mode)
10	Auto printing in fixed weight pricing mode	1	Press PLU shortcut key and then press  , and in 5 seconds press  , then input interval time	Press 	Get in auto print status (fixed weight pricing mode)
11	Cancel auto print function	1	Press 		Bring back single print
12	Log out setup option	1	Press 		Log out function setup, return to original status

Chapter II Summarization


2.1 Appearance

2.1.1 Electronic scale outside view



Upright electronic scale front view

2.1.2 Electronic scale interface diagram



Remark:

The install interface probably different, due to different type of scales with different configurations, please make sure before purchase.

2.2 Installation

Please fix display screen on the upright tube, and fasten upright tube on scale chassis (as shown to the right) .


Use $\Phi 3\text{mm}$ screw to fix display screen and upright; use $\Phi 4\text{mm}$ screw to fasten upright chassis.

2.3 Display and keyboard

2.3.1 Display


STAB	VAHAN SCALE		TARE	0.000
ZERO				
N. W(kg)		U. P(\$/kg)	T. P(\$)	
0.000		0.00	0.00	

- 1: When scale under steady state, steady indicator will be on;
- 2: When N.W window display zero, zero indicator will be on;
- 3: When scale under standby state, it is defaulted to display TEXT 1 information (default shop name), display commodity name when obtaining commodity; display date and time when look up date;
- 4: When operating tare or not display zero in tare window, tare indicator will be on; When connecting communication interface, communication indicator will be on, there is clue when communicating
- 5: display weight of commodity in weight window; display commodity code when obtaining PLU information through code;
- 6: Display weight or quantity numerical value under sale state;



2.3.2 Keyboard

1. Keyboard diagram:



: Use digital key to input numbers

- [Print]—Up preservation role when print out ticket or manually edit on scale;
- [Date]—Display current date and time;
- [Clear]—Clear data、 internal storage data, return to standby;
- [Discount]—For commodity discount, and for page up when setup a function;
- [Multiple]—Optional quantity under counting state, (Needn't be used under weighing state), up preservation role when setup a function;
- [Function]—For setting, use “function” button to setup various of functions;
- [Enter]—For entering function setup, use “enter” button to entering setup;
- [Tare]—For deducting tare value. Invalid to press “tare” key when tare weight display nonzero, Page down when under setup state.
- [Zero]—remove nonzero numerical value in weight window then all display zero; notice: single zero amount must not more than 4% of max weight capacity; it's up page under setting state;
- [PLU]—Obtaining PLU data

2.4 Specification parameter

- ◆ Power source: 220V^{+10%}_{-15%} Frequency 50~60Hz
- ◆ Temperature: work temperature 0°C~40°C; storage temperature -10°C~40°C
- ◆ Humidity: ≤85%RH
- ◆ Max capacity (verification division value) : 3kg (1g)、6kg (2g)、15kg (5g)、30kg (10g)
- ◆ Accuracy: 1/3000F.S

- ◆ Display: Liquid Crystal Display


2.5 Printer

2.5.1 Printer parameter


- ◆ Print mode: Thermosensitive
- ◆ Print speed: 75mm/s
- ◆ Print width: 56mm
- ◆ Paper width: 60mm (Max.)
- ◆ Paper roll outer diameter: 90mm (Max.)
- ◆ Paper roll inner diameter: 40mm (Min.)

2.5.2 Fill paper

1. Direction of arrow as shown on diagram, wrench the movable spanner downward direction, uplift the print head;
2. Fill paper on paper feed roll, notice direction of paper going from underneath as shown;
3. Put paper go through paper channel;
4. Put recycle paper on recycling shaft;
5. Use U clip to stuck recycle paper;
6. Tag paper fill 1mm above print head;
7. Wrench the movable spanner upward, and put down print head;




2.6 Reading direction

- ◆ Operation step follow the 1st left column, and other columns for displaying content after operating the 1st column step;
- ◆ Please confirm scale work state before reading this manual.
- ◆ Press  key directly if encounter wrong operation, won't preserve previous operation when quit midway;
- ◆ This manual mentioned display part correspond as follows:


Chapter III User guide

3.1 Initial preparation

1. Please confirm connecting effective between scale and ground before startup;
2. Please confirm put scale tray stable, remove object from scale tray to ensure no-loaded;
3. Please put scale on horizontal plane or adjust scale feet to balance, estimating whether horizontal through air level. As shown, the bubble in the center of air level that is correct, the bubble deviate from middle point that mean not horizontal: as shown to below;



Correctly adjust



Havn't achieved

4. Please confirm printer filled paper correctly before startup;

3.2 Startup

Operation	Display
Confirm nothing on scale pan, turn on power switch	

3.3 Zero manually

After using a certain time, electronic scale occurs zero offset; or needs zero setup, then press “zero” key to zero manually.

Operation	Display
Display N.W numerical value when no-load	
Press	

Notice: if real needed, either put light tray on scale plate or manually zero to bring back zero digit; the manually zero scope can't exceed 4% of max weight capacity.

3.4 Sale

3.4.1 Weighing pricing sale

Operation	Display
Standby	
Input PLU code, (e.g NO.2 PLU), then press	

<p>Press PLU now display no.2 PLU commodity unit price on unit price window, e.g: 16 RMB/kg</p>	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>16.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	16.00	0.00	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	16.00	0.00															
<p>Put on goods for weighting(e.g weight 1 kg)</p>	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>16.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	16.00	0.00	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	16.00	0.00															
<p>Press PRINT to print bill list, take away commodities, return to zero status</p>	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

3.4.2 Counting pricing sale

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Input PLU code(e.g No.3 PLU), then press 3	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.03</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.03	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.03	0.00															
Now display No.3 PLU commodity's unit price, e.g 18RMB/pc	<table border="1"> <tr> <td>STAB</td> <td>Pear</td> <td>TARE</td> <td></td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1</td> <td>18.00</td> <td colspan="2">18.00</td> </tr> </table>	STAB	Pear	TARE		ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1	18.00	18.00	
STAB	Pear	TARE															
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1	18.00	18.00															
If only sell one pc commodity, press print button to print directly, If sell more than one commodities to input real quantity(e.g 5 pcs), press 5 , and press MULTI	<table border="1"> <tr> <td>STAB</td> <td>Pear</td> <td>TARE</td> <td></td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>5</td> <td>18.00</td> <td colspan="2">90.00</td> </tr> </table>	STAB	Pear	TARE		ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		5	18.00	90.00	
STAB	Pear	TARE															
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
5	18.00	90.00															
Press print PRINT button to print	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

3.4.3 Fixed weight pricing sale

Fixed weight commodity need to preset first, (details as 5.1PLU information edit), To obtain PLU to print fixed weight commodity and then

press **PRINT** directly.

3.5 Tare


The scale can achieve tare in three methods: preset tare、object tare、numerical tare。Preset tare refer to PLU setup, it introduced in PLU setup chapter。Below is object tare and numerical tare setup steps。

3.5.1 Object tare

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.000	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.000															
Obtaining No.2 PLU, (as up section 3.4.1), Press 2 and PIU	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>16.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	16.00	0.000	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	16.00	0.000															
Put on good of tare,(e.g: one weight 600g tray)	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.600</td> <td>16.00</td> <td colspan="2">9.60</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.600	16.00	9.60	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.600	16.00	9.60															
Press TARE	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.600</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>16.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	Apple	TARE	0.600	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	16.00	0.000	
STAB	Apple	TARE	0.600														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	16.00	0.000															
Put on goods for weighing (e.g:weight 1 kg)	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.600</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>16.00</td> <td colspan="2">16.00</td> </tr> </table>	STAB	Apple	TARE	0.600	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	16.00	16.00	
STAB	Apple	TARE	0.600														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	16.00	16.00															
Press PRINT to print bill,take away goods and tray	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.000	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.000															




3.5.2 Numerical tare

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.000	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.000															
Call out No.2 PLU first (as up section 3.4.1),press 2 and PIU	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>16.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	16.00	0.000	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	16.00	0.000															
Input tare weight value of known goods (e.g : tare 600g)	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>6.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	6.00	0.000	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	6.00	0.000															
Press TARE	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.600</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>-0.600</td> <td>16.00</td> <td colspan="2">0.000</td> </tr> </table>	STAB	Apple	TARE	0.600	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		-0.600	16.00	0.000	
STAB	Apple	TARE	0.600														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
-0.600	16.00	0.000															

Put on goods with tare (such as commodity N.W 1kg, tare 600g)	STAB	Apple	TARE	0.600
	N.W(kg)	U.P(\$/kg)	T.P(\$)	
	1.000	16.00	16.00	
Press  to print bill, take down goods	STAB	VAHAN SCALE	TARE	0.000
	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)
	0.000	0.00	0.00	

3.6 Alter unit price

Notice: only under discount manually setup state, (details please consult 4.1 discount setup in chapter system parameter setup) , only after that user can modify unit price.

Operation	Display												
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td>0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00
STAB	VAHAN SCALE	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	0.000	0.00	0.00										
Obtain No.2 PLU first,(as up section 3.4.1), and then press  and 	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>16.00</td> <td>0.00</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	16.00	0.00
STAB	Apple	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	0.000	16.00	0.00										
Input new unit price (e.g:15 RMB/kg)	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>15.00</td> <td>0.00</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	15.00	0.00
STAB	Apple	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	0.000	15.00	0.00										
Put on goods for weighing(e.g: something weight 1kg)	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>1.000</td> <td>15.00</td> <td>15.00</td> </tr> </table>	STAB	Apple	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		1.000	15.00	15.00
STAB	Apple	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	1.000	15.00	15.00										
Press  to print bill ,take down commodities	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td>0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00
STAB	VAHAN SCALE	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	0.000	0.00	0.00										

※ Above operations just under permit to alter unit price system setup state effective, alter unit price temporarily and new price after printed wouldn't be saved; if need to alter price completely, please reference to 5.1 PLU information edit.

3.7 Discount

Support to alter unit price discount, but it based on a Premise that preset unit price is nonzero in commodity information.

Operation	Display												
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td>T.P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td>0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00
STAB	VAHAN SCALE	TARE	0.000										
ZERO	N.W(kg)	U.P(\$/kg)	T.P(\$)										
	0.000	0.00	0.00										

Obtain No.2 PLU code(such as up section 3.4.1),and then press 2 and PLU	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>16.00</td><td>0.00</td><td></td></tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	16.00	0.00	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	16.00	0.00															
Put on goods, suppose goods weight 0.900kg	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.900</td><td>16.00</td><td>14.40</td><td></td></tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.900	16.00	14.40	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.900	16.00	14.40															
press DISCOUNT	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>DISCOUNT: 20%</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.900</td><td>16.00</td><td>14.40</td><td></td></tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	DISCOUNT: 20%	T. P(\$)		0.900	16.00	14.40	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	DISCOUNT: 20%	T. P(\$)															
0.900	16.00	14.40															
Input percentage of discount,as 20% discount off,then input "80"	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>DISCOUNT: 80%</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.900</td><td>16.00</td><td>14.40</td><td></td></tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	DISCOUNT: 80%	T. P(\$)		0.900	16.00	14.40	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	DISCOUNT: 80%	T. P(\$)															
0.900	16.00	14.40															
Press ENTER	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>DISCOUNT: 80%</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.900</td><td>12.80</td><td>11.52</td><td></td></tr> </table>	STAB	Apple	TARE	0.000	ZERO				N. W(kg)	DISCOUNT: 80%	T. P(\$)		0.900	12.80	11.52	
STAB	Apple	TARE	0.000														
ZERO																	
N. W(kg)	DISCOUNT: 80%	T. P(\$)															
0.900	12.80	11.52															
Press PRINT to print bill ,take down goods	<table border="1"> <tr><td>STAB</td><td>VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td>0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															





3.8Auto print

3.8.1Autoprint(weighing pricing)

Operation	Display																				
Standby	<table border="1"> <tr><td>STAB</td><td>VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td>0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00					
STAB	VAHAN SCALE	TARE	0.000																		
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
0.000	0.00	0.00																			
Press PLU shortcut key (as No.6 button,and suppose No.6 button correspond to whole case apples,preset unit price is ¥1.20/kg,weight 500g)	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.500</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>-0.500</td><td>1.20</td><td>0.00</td><td></td></tr> </table>	STAB	Apple	TARE	0.500	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		-0.500	1.20	0.00					
STAB	Apple	TARE	0.500																		
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
-0.500	1.20	0.00																			
Press FUNC	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>TARE</td><td>0.500</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>-0.500</td><td>1.20</td><td>0.00</td><td></td></tr> </table>	STAB	Apple	TARE	0.500	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		-0.500	1.20	0.00					
STAB	Apple	TARE	0.500																		
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
-0.500	1.20	0.00																			
Press PRINT button in 5 seconds	<table border="1"> <tr><td>STAB</td><td>Apple</td><td>AUTO PRINT</td><td>TARE</td><td>0.500</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td><td></td></tr> <tr><td>-0.500</td><td>1.20</td><td>0.00</td><td></td><td></td></tr> </table>	STAB	Apple	AUTO PRINT	TARE	0.500	ZERO					N. W(kg)	U. P(\$/kg)	T. P(\$)			-0.500	1.20	0.00		
STAB	Apple	AUTO PRINT	TARE	0.500																	
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
-0.500	1.20	0.00																			

Put on 1 st case apple(suppose 10kg),after getting steady , auto printing label	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>AUTO PRINT</td> <td>TARE</td> <td>0.500</td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="3">T. P(\$)</td> </tr> <tr> <td>9.500</td> <td>1.20</td> <td colspan="3">11.40</td> </tr> </table>	STAB	Apple	AUTO PRINT	TARE	0.500	N. W(kg)	U. P(\$/kg)	T. P(\$)			9.500	1.20	11.40		
STAB	Apple	AUTO PRINT	TARE	0.500												
N. W(kg)	U. P(\$/kg)	T. P(\$)														
9.500	1.20	11.40														
Take down apple	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>AUTO PRINT</td> <td>TARE</td> <td>0.500</td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="3">T. P(\$)</td> </tr> <tr> <td>-0.500</td> <td>1.20</td> <td colspan="3">0.00</td> </tr> </table>	STAB	Apple	AUTO PRINT	TARE	0.500	N. W(kg)	U. P(\$/kg)	T. P(\$)			-0.500	1.20	0.00		
STAB	Apple	AUTO PRINT	TARE	0.500												
N. W(kg)	U. P(\$/kg)	T. P(\$)														
-0.500	1.20	0.00														
Put on 2 nd case apple (as 9.5 kg),after getting stable, auto printing label	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>AUTO PRINT</td> <td>TARE</td> <td>0.500</td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="3">T. P(\$)</td> </tr> <tr> <td>9.000</td> <td>1.20</td> <td colspan="3">10.80</td> </tr> </table>	STAB	Apple	AUTO PRINT	TARE	0.500	N. W(kg)	U. P(\$/kg)	T. P(\$)			9.000	1.20	10.80		
STAB	Apple	AUTO PRINT	TARE	0.500												
N. W(kg)	U. P(\$/kg)	T. P(\$)														
9.000	1.20	10.80														
Take down apple,to repeat up steps	<table border="1"> <tr> <td>STAB</td> <td>Apple</td> <td>AUTO PRINT</td> <td>TARE</td> <td>0.500</td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="3">T. P(\$)</td> </tr> <tr> <td>-0.500</td> <td>1.20</td> <td colspan="3">0.00</td> </tr> </table>	STAB	Apple	AUTO PRINT	TARE	0.500	N. W(kg)	U. P(\$/kg)	T. P(\$)			-0.500	1.20	0.00		
STAB	Apple	AUTO PRINT	TARE	0.500												
N. W(kg)	U. P(\$/kg)	T. P(\$)														
-0.500	1.20	0.00														
After weighing all of goods, press clear and log out auto printing, return to standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td colspan="2">0.000</td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	0.000	0.00	0.00													

3.8.2Autoprint(Counting pricing mode)

Operation	Display															
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td colspan="2">0.000</td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	0.000	0.00	0.00													
Press PLU shortcut key (as No.7 key, suppose No.7 correspond to cigarette ,unit price is ¥1.50 / pack)	<table border="1"> <tr> <td>STAB</td> <td>Cigarette</td> <td>TARE</td> <td colspan="2"></td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>1</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	Cigarette	TARE			ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			1	1.50	1.50	
STAB	Cigarette	TARE														
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	1	1.50	1.50													
Press  , press  in 5 seconds	<table border="1"> <tr> <td>STAB</td> <td>Cigarette</td> <td>TARE</td> <td colspan="2">0</td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>1</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	Cigarette	TARE	0		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			1	1.50	1.50	
STAB	Cigarette	TARE	0													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	1	1.50	1.50													
Press number key,input interval seconds on tare window, e.g:3 seconds ,press 3	<table border="1"> <tr> <td>STAB</td> <td>Cigarette</td> <td>TARE</td> <td colspan="2">3</td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>1</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	Cigarette	TARE	3		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			1	1.50	1.50	
STAB	Cigarette	TARE	3													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	1	1.50	1.50													
Press  ,auto printing 1 st lable,and will print one lable every other 3 seconds	<table border="1"> <tr> <td>STAB</td> <td>Cigarette</td> <td>AUTO PRINT</td> <td>TARE</td> <td></td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>1</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	Cigarette	AUTO PRINT	TARE		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			1	1.50	1.50	
STAB	Cigarette	AUTO PRINT	TARE													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	1	1.50	1.50													
Press  ,end printing ,bring back standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td colspan="2">0.000</td> </tr> <tr> <td>ZERO</td> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td></td> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000		ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000													
ZERO	N. W(kg)	U. P(\$/kg)	T. P(\$)													
	0.000	0.00	0.00													

Notice: input interval seconds between 1~5 seconds ,for round numbers.

3.8.3 Autoprint(Fixed weight pricing mode)

Operation	Display																
Steadby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Press PLU shortcut key,(e.g: No.8 button,and suppose correspond to white sugar,unit price is 1.50RMB/Kg,weighting mode is fixed weight)	<table border="1"> <tr> <td>STAB</td> <td>White sugar</td> <td>TARE</td> <td></td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	White sugar	TARE		ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	1.50	1.50	
STAB	White sugar	TARE															
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	1.50	1.50															
Press FUNC , press PRINT in 5 seconds, appear “zero” in tare window,meanwhile it twinkling	<table border="1"> <tr> <td>STAB</td> <td>White sugar</td> <td>TARE</td> <td>0</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	White sugar	TARE	0	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	1.50	1.50	
STAB	White sugar	TARE	0														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	1.50	1.50															
Press number key, input interval seconds,e.g: 3 seconds ,press 3	<table border="1"> <tr> <td>STAB</td> <td>White sugar</td> <td>TARE</td> <td>3</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	White sugar	TARE	3	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	1.50	1.50	
STAB	White sugar	TARE	3														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	1.50	1.50															
Press ENTER , auto print 1 st lable, and will print once every other 3 seconds	<table border="1"> <tr> <td>STAB</td> <td>White sugar</td> <td>AUTO PRINT</td> <td>TARE</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>1.000</td> <td>1.50</td> <td colspan="2">1.50</td> </tr> </table>	STAB	White sugar	AUTO PRINT	TARE	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		1.000	1.50	1.50	
STAB	White sugar	AUTO PRINT	TARE														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
1.000	1.50	1.50															
Press CLEAR , end printing,bring back standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

Notice: input interval seconds between 1~5 seconds for round numbers.

Chapter IV Setup

4.1 System parameter setup

Notice: tare for next step, zero for up step, discount for next page, multiple for up page.

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="2">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Press function, press tare, select system parameter setup	<table border="1"> <tr> <td>RECORD REPORT</td> <td>→</td> <td></td> </tr> <tr> <td>SYSTEM PARAM</td> <td></td> <td></td> </tr> <tr> <td>DATE&TIME</td> <td></td> <td></td> </tr> <tr> <td>LABEL FORMAT</td> <td></td> <td></td> </tr> </table>	RECORD REPORT	→		SYSTEM PARAM			DATE&TIME			LABEL FORMAT						
RECORD REPORT	→																
SYSTEM PARAM																	
DATE&TIME																	
LABEL FORMAT																	

<p>Press enter, set scale code, XX stand for original scale code,scale code range: 00—99 for instance:set scale code 12, then press</p> <p>1 2</p>	<table border="1"> <tr><td>SCALE NO</td><td>01</td><td></td></tr> <tr><td>THICKNESS</td><td>05</td><td></td></tr> <tr><td>DISCOUNT</td><td>BOTH OPEN</td><td></td></tr> <tr><td>T. P CUT</td><td>FORBID</td><td></td></tr> </table>	SCALE NO	01		THICKNESS	05		DISCOUNT	BOTH OPEN		T. P CUT	FORBID							
SCALE NO	01																		
THICKNESS	05																		
DISCOUNT	BOTH OPEN																		
T. P CUT	FORBID																		
<p>Press tare, set print chroma, thickness scope 01 — 10, for instance: thickness is 5 ,then press 5(the item is defaulted from factory 05)</p>	<table border="1"> <tr><td>SCALE NO</td><td>01</td><td></td></tr> <tr><td>THICKNESS</td><td>05</td><td></td></tr> <tr><td>DISCOUNT</td><td>BOTH OPEN</td><td></td></tr> <tr><td>T. P CUT</td><td>FORBID</td><td></td></tr> </table>	SCALE NO	01		THICKNESS	05		DISCOUNT	BOTH OPEN		T. P CUT	FORBID							
SCALE NO	01																		
THICKNESS	05																		
DISCOUNT	BOTH OPEN																		
T. P CUT	FORBID																		
<p>Press tare,set discount price limit,(a).total price not been allowed to discount,b).neither unit price nor total price allowed to discount c).unit price not been allowed to discount d).both unit price and total price beel allowed to discount) default setting from factory is d</p>	<table border="1"> <tr><td>SCALE NO</td><td>01</td><td></td></tr> <tr><td>THICKNESS</td><td>05</td><td></td></tr> <tr><td>DISCOUNT</td><td>BOTH OPEN</td><td></td></tr> <tr><td>T. P CUT</td><td>FORBID</td><td></td></tr> </table>	SCALE NO	01		THICKNESS	05		DISCOUNT	BOTH OPEN		T. P CUT	FORBID							
SCALE NO	01																		
THICKNESS	05																		
DISCOUNT	BOTH OPEN																		
T. P CUT	FORBID																		
<p>Press tare,set whether total price can ignore decimals, this type scale not support this function</p>	<table border="1"> <tr><td>SCALE NO</td><td>01</td><td></td></tr> <tr><td>THICKNESS</td><td>05</td><td></td></tr> <tr><td>DISCOUNT</td><td>BOTH OPEN</td><td></td></tr> <tr><td>T. P CUT</td><td>FORBID</td><td></td></tr> </table>	SCALE NO	01		THICKNESS	05		DISCOUNT	BOTH OPEN		T. P CUT	FORBID							
SCALE NO	01																		
THICKNESS	05																		
DISCOUNT	BOTH OPEN																		
T. P CUT	FORBID																		
<p>Press multiple get into next page, according to set code type, type definition as follows:</p> <p>1: 8 bits code(1F+6W +C)</p> <p>2: 13 bits code (1F+6W+5E/N+C)</p> <p>3: 18 bits code positive face (1F+6W+5E+5N+C)</p> <p>4: 18 bits code negative face (1F+6W+5E+5N+O)</p> <p>5: 13 bits code (2F+5W+5E/N+C)</p> <p>6: 13 bits code (12D+C)</p> <p>7: 18 bits code positive face (2F+5W+5E+5N+C)</p> <p>8: 18 bits code negative face (2F+5W+5E+5N+O)</p> <p>Press enter get into select code type,thereinto:</p> <p>W is commodity code ,E is amount N is weight C is positive checkcode D is code O is negative checkcode number stands for digit</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWWEEEEEC</td><td></td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td><td></td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD</td><td></td></tr> <tr><td>W. T UNIT</td><td>kg</td><td></td></tr> </table>	BARCODE	FRWWEEEEEC		DIGIT	RESERVE CENT BIT		DATE FORM	PACKAGE VALID DATE YYYYMMDD		W. T UNIT	kg							
BARCODE	FRWWEEEEEC																		
DIGIT	RESERVE CENT BIT																		
DATE FORM	PACKAGE VALID DATE YYYYMMDD																		
W. T UNIT	kg																		
<p>Press or to choose code form by moving up and down,press to confirm</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWWEEEEEC</td><td></td></tr> <tr><td>DIGIT</td><td>F WWW W W W W W W E E E E E C</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>DATE FORM</td><td>F WWW W W W N N N N N N C</td><td></td></tr> <tr><td>W. T UNIT</td><td>F WWW W W W E E E E E N N N N N C</td><td></td></tr> <tr><td></td><td>kg</td><td></td></tr> </table>	BARCODE	FRWWEEEEEC		DIGIT	F WWW W W W W W W E E E E E C	<input checked="" type="checkbox"/>	DATE FORM	F WWW W W W N N N N N N C		W. T UNIT	F WWW W W W E E E E E N N N N N C			kg				
BARCODE	FRWWEEEEEC																		
DIGIT	F WWW W W W W W W E E E E E C	<input checked="" type="checkbox"/>																	
DATE FORM	F WWW W W W N N N N N N C																		
W. T UNIT	F WWW W W W E E E E E N N N N N C																		
	kg																		
<p>Press ,set amount digit,press to choose, (1)reserve decimal places (2)round-off,not cut bit (3)round-off,cut bit(4)round-off</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWWEEEEEC</td><td></td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td><td></td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD</td><td></td></tr> <tr><td>W. T UNIT</td><td>kg</td><td></td></tr> </table>	BARCODE	FRWWEEEEEC		DIGIT	RESERVE CENT BIT		DATE FORM	PACKAGE VALID DATE YYYYMMDD		W. T UNIT	kg							
BARCODE	FRWWEEEEEC																		
DIGIT	RESERVE CENT BIT																		
DATE FORM	PACKAGE VALID DATE YYYYMMDD																		
W. T UNIT	kg																		
<p>Press or to choose amount digit setting by moving up and down,press to confirm</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWWEEEEEC</td><td></td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td><td><input checked="" type="checkbox"/></td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD</td><td></td></tr> <tr><td>W. T UNIT</td><td>kg</td><td></td></tr> <tr><td></td><td>ROUND OFF BARCODE NOT CUT BIT</td><td></td></tr> <tr><td></td><td>ROUND OFF BARCODE CUT BIT</td><td></td></tr> </table>	BARCODE	FRWWEEEEEC		DIGIT	RESERVE CENT BIT	<input checked="" type="checkbox"/>	DATE FORM	PACKAGE VALID DATE YYYYMMDD		W. T UNIT	kg			ROUND OFF BARCODE NOT CUT BIT			ROUND OFF BARCODE CUT BIT	
BARCODE	FRWWEEEEEC																		
DIGIT	RESERVE CENT BIT	<input checked="" type="checkbox"/>																	
DATE FORM	PACKAGE VALID DATE YYYYMMDD																		
W. T UNIT	kg																		
	ROUND OFF BARCODE NOT CUT BIT																		
	ROUND OFF BARCODE CUT BIT																		

<p>Press TARE ,to set date format;</p> <p>① yyyyymmdd; package,effective date ② yymmdd; package,effective date ③ yyyyymmdd; package date ,effective days ④ yymmdd; package date ,effective days</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWMEEEEC</td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD </td></tr> <tr><td>W. T UNIT</td><td>kg</td></tr> </table>	BARCODE	FRWMEEEEC	DIGIT	RESERVE CENT BIT	DATE FORM	PACKAGE VALID DATE YYYYMMDD	W. T UNIT	kg
BARCODE	FRWMEEEEC								
DIGIT	RESERVE CENT BIT								
DATE FORM	PACKAGE VALID DATE YYYYMMDD								
W. T UNIT	kg								
<p>press TARE or ZERO to choose date format by moving up and down,press ENTER to confirm</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWMEEEEC</td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD ✓</td></tr> <tr><td>W. T UNIT</td><td>kg</td></tr> </table>	BARCODE	FRWMEEEEC	DIGIT	RESERVE CENT BIT	DATE FORM	PACKAGE VALID DATE YYYYMMDD ✓	W. T UNIT	kg
BARCODE	FRWMEEEEC								
DIGIT	RESERVE CENT BIT								
DATE FORM	PACKAGE VALID DATE YYYYMMDD ✓								
W. T UNIT	kg								
<p>press TARE , set weight unit</p> <p>① -kg; ② -500g; ③ -100g;④-50g;⑤-10g; ⑥-g (Default setting is kg)</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWMEEEEC</td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD</td></tr> <tr><td>W. T UNIT</td><td>kg </td></tr> </table>	BARCODE	FRWMEEEEC	DIGIT	RESERVE CENT BIT	DATE FORM	PACKAGE VALID DATE YYYYMMDD	W. T UNIT	kg
BARCODE	FRWMEEEEC								
DIGIT	RESERVE CENT BIT								
DATE FORM	PACKAGE VALID DATE YYYYMMDD								
W. T UNIT	kg								
<p>Press TARE or ZERO to choose weight unit by moving up and down,press ENTER to confirm</p>	<table border="1"> <tr><td>BARCODE</td><td>FRWMEEEEC</td></tr> <tr><td>DIGIT</td><td>RESERVE CENT BIT</td></tr> <tr><td>DATE FORM</td><td>PACKAGE VALID DATE YYYYMMDD</td></tr> <tr><td>W. T UNIT</td><td>kg</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: 100px;"> kg 500g 100g </div>	BARCODE	FRWMEEEEC	DIGIT	RESERVE CENT BIT	DATE FORM	PACKAGE VALID DATE YYYYMMDD	W. T UNIT	kg
BARCODE	FRWMEEEEC								
DIGIT	RESERVE CENT BIT								
DATE FORM	PACKAGE VALID DATE YYYYMMDD								
W. T UNIT	kg								
<p>Press MUTI get into next page,press ENTER to set unit price unit</p> <p>① -/kg; ② -/500g; ③ -/100g; ④ -/50g; ⑤ -/10g;⑥ -/g (Default setting is kg)</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg </td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								
<p>press TARE or ZERO to choose unit price unit by moving up and down,press ENTER to confirm</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: 100px;"> /kg /500g /100g </div>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								
<p>press TARE to set cashbox drive ,</p> <p>①drive off②drive on (Default setting is drive on)</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN </td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								
<p>press TARE or ZERO to choose drive on or off by moving up and down,press ENTER to confirm</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: 100px;"> /kg /500g /100g </div>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								
<p>press TARE ,set double measuring range</p> <p>①single measuring range②double measuring range (Default setting is single measuring range)</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE </td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								
<p>press TARE or ZERO to choose single measuring range or double measuring range ,press ENTER to confirm</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin-left: 100px;"> SINGLE DOUBLE ✓ </div>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE
PRICE UNIT	/kg								
CASHBOX	OPEN								
RANGE	SINGLE								
AUTO ZERO	NOT RESERVE								

<p>press TARE to set reserve unit price after printing ①reserve②unreserve (Default setting is unreserve)</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGLE</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGLE	AUTO ZERO	NOT RESERVE								
PRICE UNIT	/kg																
CASHBOX	OPEN																
RANGE	SINGLE																
AUTO ZERO	NOT RESERVE																
<p>press TARE or ZERO to choose reserve or unreserve by moving up and down; .press ENTER to confirm</p>	<table border="1"> <tr><td>PRICE UNIT</td><td>/kg</td></tr> <tr><td>CASHBOX</td><td>OPEN</td></tr> <tr><td>RANGE</td><td>SINGL</td></tr> <tr><td>AUTO ZERO</td><td>NOT RESERVE</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 5px auto;"> RESERVE NOT RESERVE ✓ </div>	PRICE UNIT	/kg	CASHBOX	OPEN	RANGE	SINGL	AUTO ZERO	NOT RESERVE								
PRICE UNIT	/kg																
CASHBOX	OPEN																
RANGE	SINGL																
AUTO ZERO	NOT RESERVE																
<p>press MUTI turn to next page , to set continuing paper print code (this type scale have no this function)</p>																	
<p>press TARE to set amount one thousandths digit ①Delete one thousandths digit ②round-off one thousandths digit (default setting delete one thousandths digit)</p>	<table border="1"> <tr><td>C. BAROODE</td><td>NOT PRINT BARCODE</td></tr> <tr><td>THOUSAND</td><td>ROUND OFF T. P THOUSANDTH</td></tr> <tr><td>HEADER1</td><td>NOT PRINT</td></tr> <tr><td>HEADER2</td><td>NOT PRINT</td></tr> </table>	C. BAROODE	NOT PRINT BARCODE	THOUSAND	ROUND OFF T. P THOUSANDTH	HEADER1	NOT PRINT	HEADER2	NOT PRINT								
C. BAROODE	NOT PRINT BARCODE																
THOUSAND	ROUND OFF T. P THOUSANDTH																
HEADER1	NOT PRINT																
HEADER2	NOT PRINT																
<p>press TARE , set continuing paper gauge head1-4. gauge trail 5-8, entirety font,shop name font,printing exchange etc.information (this type have no this function)</p>																	
<p>press TARE ,set code bit,input code bits by pressing number key (05 or 06 two choices)</p>	<table border="1"> <tr><td>NUM CODE</td><td>0</td></tr> <tr><td>LCD LIGHT</td><td>NORMALLY ON</td></tr> <tr><td>SYS INFO</td><td>TMA7.43 DH TM-15</td></tr> <tr><td>PRINT MOD</td><td>LABEL.</td></tr> </table>	NUM CODE	0	LCD LIGHT	NORMALLY ON	SYS INFO	TMA7.43 DH TM-15	PRINT MOD	LABEL.								
NUM CODE	0																
LCD LIGHT	NORMALLY ON																
SYS INFO	TMA7.43 DH TM-15																
PRINT MOD	LABEL.																
<p>pres TARE ,set backlight setting①normally on: ② normally off: ③ waiting for seconds</p>	<table border="1"> <tr><td>NUM CODE</td><td>0</td></tr> <tr><td>LCD LIGHT</td><td>NORMALLY ON</td></tr> <tr><td>SYS INFO</td><td>TMA7.43 DH TM-15</td></tr> <tr><td>PRINT MOD</td><td>LABEL.</td></tr> </table>	NUM CODE	0	LCD LIGHT	NORMALLY ON	SYS INFO	TMA7.43 DH TM-15	PRINT MOD	LABEL.								
NUM CODE	0																
LCD LIGHT	NORMALLY ON																
SYS INFO	TMA7.43 DH TM-15																
PRINT MOD	LABEL.																
<p>press TARE or ZERO to choose backlight by moving up and down.press ENTER to confirm</p>	<table border="1"> <tr><td>NUM CODE</td><td>0</td></tr> <tr><td>LCD LIGHT</td><td>NO</td></tr> <tr><td>SYS INFO</td><td>TM</td></tr> <tr><td>PRINT MOD</td><td>LABEL.</td></tr> </table> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 5px auto;"> NORMALLY ON ✓ NORMALLY OFF HOLD S </div>	NUM CODE	0	LCD LIGHT	NO	SYS INFO	TM	PRINT MOD	LABEL.								
NUM CODE	0																
LCD LIGHT	NO																
SYS INFO	TM																
PRINT MOD	LABEL.																
<p>Press TARE ,look up electronic scale factory information</p>	<table border="1"> <tr><td>NUM CODE</td><td>0</td></tr> <tr><td>LCD LIGHT</td><td>NORMALLY ON</td></tr> <tr><td>SYS INFO</td><td>TMA7.43 DH TM-15</td></tr> <tr><td>PRINT MOD</td><td>LABEL.</td></tr> </table>	NUM CODE	0	LCD LIGHT	NORMALLY ON	SYS INFO	TMA7.43 DH TM-15	PRINT MOD	LABEL.								
NUM CODE	0																
LCD LIGHT	NORMALLY ON																
SYS INFO	TMA7.43 DH TM-15																
PRINT MOD	LABEL.																
<p>Press PRINT , TARE or ZERO to select save or don't save ,then return to standby</p>	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

Notice: Press **ENTER** to save and logout, press **CLEAR** to logout directly without save.

4.2 System date setup






This scale has clock own, user can reset system date and time.

Operation	Display
Standby	
Press FUNC , press TARE to choose system time setup	
Press number key to input date and time, press TARE or ZERO to choose left right movement.	
Press PRINT , TARE or ZERO choose save or not then logout.	









4.3 Weight calibration (adjustment)

Weight calibration password is“54321”.Display weight calibration in setup item only when calibration switch on。Notice: user password must be set for five bits number and first bit nonzero.

Operation	Display
Standby	
Press FUNC , press MUTI , to choose the last option	
Press ENTER , input password,pasword is 54321, press 54321	
Press ENTER , setting up division value; e.g 15kg scale for 5g, press 5, division value is 1/3000 of max capacity	
Press ENTER , setting up max capacity; for instance 15kg,press 15000	

<p>Press , setting up overloaded; general for nine times division value; for instance 45g, press 45</p>	<table border="1"> <tr><td>PASSWORD</td><td>54321</td><td>FULL</td><td>15.000</td></tr> <tr><td>GRAD</td><td>5</td><td>LOAD</td><td>15.000</td></tr> <tr><td>WT OVER</td><td>45</td><td>POISE</td><td></td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> </table>	PASSWORD	54321	FULL	15.000	GRAD	5	LOAD	15.000	WT OVER	45	POISE		ZERO							
PASSWORD	54321	FULL	15.000																		
GRAD	5	LOAD	15.000																		
WT OVER	45	POISE																			
ZERO																					
<p>Press , setting up loaded value; e.g 15kg,press 15000. (add loaded should not lower than 1/3 of max capacity and not exceed max capacity)</p>	<table border="1"> <tr><td>PASSWORD</td><td>54321</td><td>FULL</td><td>15.000</td></tr> <tr><td>GRAD</td><td>5</td><td>LOAD</td><td>15.000</td></tr> <tr><td>WT OVER</td><td>45</td><td>POISE</td><td></td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> </table>	PASSWORD	54321	FULL	15.000	GRAD	5	LOAD	15.000	WT OVER	45	POISE		ZERO							
PASSWORD	54321	FULL	15.000																		
GRAD	5	LOAD	15.000																		
WT OVER	45	POISE																			
ZERO																					
<p>Press , get into zero state; ensure no-load on scale tray (namely there is nothing on scale tray), there is a value in zero bit</p>	<table border="1"> <tr><td>PASSWORD</td><td>54321</td><td>FULL</td><td>15.000</td></tr> <tr><td>GRAD</td><td>5</td><td>LOAD</td><td>15.000</td></tr> <tr><td>WT OVER</td><td>45</td><td>POISE</td><td>0</td></tr> <tr><td>ZERO</td><td>XXXXX</td><td></td><td></td></tr> </table>	PASSWORD	54321	FULL	15.000	GRAD	5	LOAD	15.000	WT OVER	45	POISE	0	ZERO	XXXXX						
PASSWORD	54321	FULL	15.000																		
GRAD	5	LOAD	15.000																		
WT OVER	45	POISE	0																		
ZERO	XXXXX																				
<p>Indicate steady, press , get into loaded value state; after indicating steady, put on the same amount poises as loaded value.</p>	<table border="1"> <tr><td>PASSWORD</td><td>54321</td><td>FULL</td><td>15.000</td></tr> <tr><td>GRAD</td><td>5</td><td>LOAD</td><td>15.000</td></tr> <tr><td>WT OVER</td><td>45</td><td>POISE</td><td>XXXXX</td></tr> <tr><td>ZERO</td><td>XXXXX</td><td></td><td></td></tr> </table>	PASSWORD	54321	FULL	15.000	GRAD	5	LOAD	15.000	WT OVER	45	POISE	XXXXX	ZERO	XXXXX						
PASSWORD	54321	FULL	15.000																		
GRAD	5	LOAD	15.000																		
WT OVER	45	POISE	XXXXX																		
ZERO	XXXXX																				
<p>After ISN getting steady and the steady indicator on, press  to logout</p>	<table border="1"> <tr><td>STAB</td><td colspan="2">VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td colspan="2">T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td colspan="2">0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE		TARE	0.000	ZERO					N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00		
STAB	VAHAN SCALE		TARE	0.000																	
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
0.000	0.00	0.00																			

4.4 Shortcut key setup

Operation	Display																				
standby	<table border="1"> <tr><td>STAB</td><td colspan="2">VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td colspan="2">T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td colspan="2">0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE		TARE	0.000	ZERO					N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00		
STAB	VAHAN SCALE		TARE	0.000																	
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
0.000	0.00	0.00																			
<p>Press  , enter into setup interface, press  into page turning , select shortcut setup;</p>	<table border="1"> <tr><td>CLEAR GOODS</td><td></td></tr> <tr><td>SHORTKEY</td><td></td></tr> <tr><td>SELECT LABEL</td><td></td></tr> <tr><td>CALIBRAT</td><td></td></tr> </table>	CLEAR GOODS		SHORTKEY		SELECT LABEL		CALIBRAT													
CLEAR GOODS																					
SHORTKEY																					
SELECT LABEL																					
CALIBRAT																					
<p>press , log in shortcut setup interface, input correspond PLU code, press , get into 2nd shortcut setup</p>	<table border="1"> <thead> <tr><th>NO</th><th>PLU</th><th>COMMODITY NAME</th><th></th></tr> </thead> <tbody> <tr><td>1</td><td>1</td><td>DEMO1</td><td></td></tr> <tr><td>2</td><td>2</td><td>DEMO2</td><td></td></tr> <tr><td>3</td><td>3</td><td>DEMO3</td><td></td></tr> </tbody> </table>	NO	PLU	COMMODITY NAME		1	1	DEMO1		2	2	DEMO2		3	3	DEMO3					
NO	PLU	COMMODITY NAME																			
1	1	DEMO1																			
2	2	DEMO2																			
3	3	DEMO3																			
.....																					
<p>Press  ,  or  select save or not and quit out to standby.</p>	<table border="1"> <thead> <tr><th>NO</th><th>PLU</th><th>COMMODITY NAME</th><th></th></tr> </thead> <tbody> <tr><td>7</td><td>7</td><td></td><td></td></tr> <tr><td>8</td><td>8</td><td>SAVE QUIT CANCEL</td><td></td></tr> <tr><td>9</td><td>9</td><td></td><td></td></tr> </tbody> </table>	NO	PLU	COMMODITY NAME		7	7			8	8	SAVE QUIT CANCEL		9	9						
NO	PLU	COMMODITY NAME																			
7	7																				
8	8	SAVE QUIT CANCEL																			
9	9																				
<p>Press , save and return to standby state</p>	<table border="1"> <tr><td>STAB</td><td colspan="2">VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td colspan="2">T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td colspan="2">0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE		TARE	0.000	ZERO					N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00		
STAB	VAHAN SCALE		TARE	0.000																	
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
0.000	0.00	0.00																			










4.5 Lable format setup

Lable format setup is divided into universal part format setup and Text part format setup;

Universal part format main include print content: commodity name、net weight、tare weight、gross weight、unit price、total price、package date、effective date、special information、bar code etc; Text formate print content can be defined freedom (content edit detail reference to“5.3 Text edit”)。

4.5.1 Universal part format setup

Operation	display
Standby	
Press , get into lable format setup interfae, 00 means lable number	
Press , set print width etc, for instance width is 56, press	
Press get into next page	
Press get into next page	
Press get in next page, the half in commodity code font setting means SBC case and half-angle	
press get in next page set	
press get in next page set	
press get in next page set	
.....	

 <p>press  get in next page set</p>	<table border="1"> <thead> <tr> <th colspan="2">LABEL FORMAT</th> <th>00</th> </tr> </thead> <tbody> <tr> <td>MAIN BARCODE ABSCISSA</td> <td>02</td> <td></td> </tr> <tr> <td>MAIN BARCODE ORDINATE</td> <td>27</td> <td></td> </tr> <tr> <td>MAIN BARCODE HEIGHT</td> <td>07</td> <td></td> </tr> </tbody> </table>	LABEL FORMAT		00	MAIN BARCODE ABSCISSA	02		MAIN BARCODE ORDINATE	27		MAIN BARCODE HEIGHT	07									
LABEL FORMAT		00																			
MAIN BARCODE ABSCISSA	02																				
MAIN BARCODE ORDINATE	27																				
MAIN BARCODE HEIGHT	07																				
<p>Press ,  or  select save or not, press  then save and quit out to standby state.</p>	<table border="1"> <tr> <td>STAB</td> <td colspan="2">VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td colspan="3">T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="3">0.00</td> </tr> </table>	STAB	VAHAN SCALE		TARE	0.000	ZERO					N. W(kg)	U. P(\$/kg)	T. P(\$)			0.000	0.00	0.00		
STAB	VAHAN SCALE		TARE	0.000																	
ZERO																					
N. W(kg)	U. P(\$/kg)	T. P(\$)																			
0.000	0.00	0.00																			

Specific parameters for every lable format as follows :
























Parameter title	Parameter description
crosswise print width	Input lable width millimeter number , max 56
lable lengthways length	Input lable height millimeter number, max 99
commodity name 1 print font	Standard/noprint/magnify/multiplewidth/multipleheight 180/270/no rotate/90
Commodity name 1 print position x-axis	Distance with positive font upper left as starting point forward right in millimeter number(similarly hereinafter)
Commodity name 1 print position y-axis	Distance with positive font upper left as starting point downward in millimeter
Commodity name 2 print font	Standtard /no print/magnify/multiple width/multiple height 180/270/no rotate/90
Commodity name 2 print position x-axis	
Commodity name 2 print position y-axis	
Commodity name 3 print font	Standard /no print/magnify/times width/times height 180/270/no rotate/90
Commodity name 3 print position x-axis	
Commodity name 3 print position y-axis	
Commodity code print font	Standard /no print /magnify/times width/times height 180/270/no rotate/90 semiangle/SBC case
Commodity code print position x-axis	
Commodity code print position y-axis	
N.W print font	Standard /no print/magnify/times width/times height 180/270/no rotate/90 semiangle/SBC case
N.W print position x-axis	
N.W print position y-axis	
Tare print font	Standard /no print/magnify/times width/times height 180/270/no rotate/90 semiangle/SBC case
Tare print position x-axis	
Tare print position y-axis	
G.W print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
G.W print position x-axis	
G.W print position y-axis	
Unit price print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Unit price print position x-axis	
Unit price print position y-axis	
Total price print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case

Total price print position x-axis	
Total price print position y-axis	
Flexible N.W print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Flexible N.W print position x-axis	
Flexible N.W print position y-axis	
Flexible unit price print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Flexible unit price print position x-axis	
Flexible unit price print position y-axis	
Unit price after discount print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Unit price after discount print position x-axis	
Unit price after discount print position y-axis	
Total price after discount print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Total price after discount print position x-axis	
Total price after discount print position y-axis	
Date print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Date print position x-axis	
Date print position y-axis	
Time print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Time print position x-axis	
Time print position y-axis	
Guarantee period print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Guarantee period print position x-axis	
Guarantee period print position y-axis	
Department number print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Department number print position x-axis	
Department number print position y-axis	
Store name print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Store name print position x-axis	
Store name print position y-axis	
Particular information 1 print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case

Particular information 1 print position x-axis	
Particular information 1 print position y-axis	
Particular information 2 print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Particular information 2 print position x-axis	
Particular information 2 print position y-axis	
Particular information 3 print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Particular information 3 print position x-axis	
Particular information 3 print position y-axis	
13 digits code print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
13 digits code print position x-axis	
13 digits code print position y-axis	
Tag serie number print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Tag serie number print position x-axis	
Tag serie number print position y-axis	
Main bar code print font	Standard /no print/magnify/times width/times height 180/270/ no rotate/90 semiangle/SBC case
Main bar code print position x-axis	
Main bar code print position y-axis	

Main bar code print height	00~10
----------------------------	-------

4.5.2 Text part format setup

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Press  , get in text format setup interface	<table border="1"> <tr> <td>TEXT FORMAT</td> <td></td> </tr> <tr> <td>NETWORK IP</td> <td></td> </tr> <tr> <td>COMMODITY INFO</td> <td></td> </tr> <tr> <td>SPECIAL INFO</td> <td></td> </tr> </table>	TEXT FORMAT		NETWORK IP		COMMODITY INFO		SPECIAL INFO									
TEXT FORMAT																	
NETWORK IP																	
COMMODITY INFO																	
SPECIAL INFO																	
Press  , text format edit interface	<table border="1"> <tr> <td>TEXT FORMAT</td> <td>00</td> </tr> <tr> <td>TEXT01 PRINT FONT</td> <td>STANDARD 0 DEG </td> </tr> <tr> <td>TEXT01 PRINT ABSCISSA</td> <td>02</td> </tr> <tr> <td>TEXT01 PRINT ORDINATE</td> <td>12</td> </tr> </table>	TEXT FORMAT	00	TEXT01 PRINT FONT	STANDARD 0 DEG 	TEXT01 PRINT ABSCISSA	02	TEXT01 PRINT ORDINATE	12								
TEXT FORMAT	00																
TEXT01 PRINT FONT	STANDARD 0 DEG 																
TEXT01 PRINT ABSCISSA	02																
TEXT01 PRINT ORDINATE	12																
Press  , get in next setup	<table border="1"> <tr> <td>TEXT FORMAT</td> <td>00</td> </tr> <tr> <td>TEXT02 PRINT FONT</td> <td>STANDARD 0 DEG </td> </tr> <tr> <td>TEXT02 PRINT ABSCISSA</td> <td>21</td> </tr> <tr> <td>TEXT02 PRINT ORDINATE</td> <td>12</td> </tr> </table> <table border="1"> <tr> <td>文本格式编辑</td> <td>00</td> </tr> <tr> <td>TEXT02 PRINT FONT</td> <td>STANDARD 0 DEG </td> </tr> <tr> <td>TEXT02 PRINT ABSCISSA</td> <td>21</td> </tr> <tr> <td>TEXT02 PRINT ORDINATE</td> <td>12</td> </tr> </table>	TEXT FORMAT	00	TEXT02 PRINT FONT	STANDARD 0 DEG 	TEXT02 PRINT ABSCISSA	21	TEXT02 PRINT ORDINATE	12	文本格式编辑	00	TEXT02 PRINT FONT	STANDARD 0 DEG 	TEXT02 PRINT ABSCISSA	21	TEXT02 PRINT ORDINATE	12
TEXT FORMAT	00																
TEXT02 PRINT FONT	STANDARD 0 DEG 																
TEXT02 PRINT ABSCISSA	21																
TEXT02 PRINT ORDINATE	12																
文本格式编辑	00																
TEXT02 PRINT FONT	STANDARD 0 DEG 																
TEXT02 PRINT ABSCISSA	21																
TEXT02 PRINT ORDINATE	12																
.....																	
Press  , get in the last page setup	<table border="1"> <tr> <td>TEXT FORMAT</td> <td>00</td> </tr> <tr> <td>TEXT32 PRINT FONT</td> <td>NOT PRINT </td> </tr> <tr> <td>TEXT32 PRINT ABSCISSA</td> <td>00</td> </tr> <tr> <td>TEXT32 PRINT ORDINATE</td> <td>00</td> </tr> </table>	TEXT FORMAT	00	TEXT32 PRINT FONT	NOT PRINT 	TEXT32 PRINT ABSCISSA	00	TEXT32 PRINT ORDINATE	00								
TEXT FORMAT	00																
TEXT32 PRINT FONT	NOT PRINT 																
TEXT32 PRINT ABSCISSA	00																
TEXT32 PRINT ORDINATE	00																
Press  ,  or  select save or not, press  to save then return to standby state.	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															


Parameter title	Parameter description
Text1 (default:“store name”) print font	Numerical area: 00~16 (similarly hereinafter)
Text1 print position x-axis	Distance with positive font upper left as starting point forwards right millimeters (similarly hereinafter)
Text1 print position y-axis	Distance with positive font upper left as startingpoint downward millimeter (similarly hereinafter)
Text2 (default “N.W”) print font	
Text2 print position x-axis	
Text2 print position y-axis	
Text3 (default “unit price”) print font	
Text3 print position x-axis	
Text3 print position y-axis	
Text4 (default “total price”) print font	
Text4 print position x-axis	
Text4 print position y-axis	
Text5 (default “date of manufacture”) print font	
Text5 print position x-axis	
Text5 print position y-axis	
Text6 (default “guarantee period”) print font	
Text6 print position x-axis	
Text6 print position y-axis	
Text7 (default “tare”) print font	
Text7 print position x-axis	
Text7 print position y-axis	
Text8 (default “G.W”) print font	
Text8 print position x-axis	
Text8 print position y-axis	
Text9 (default “Text9”) print font	
Text9 print position x-axis	
Text9 print position y-axis	
Text10 (default “Text10”) print font	
Text10 print position x-axis	
Text10 print position y-axis	
Text11 (default “Text11”) print font	
Text11 print position x-axis	
Text11 print position y-axis	
Text12 (default “Text12”) print font	
Text12 print position x-axis	
Text12 print position y-axis	
Text13 (default “Text13”) print font	
Text13 print position x-axis	
Text13 print position y-axis	
Text14 (default “Text14”) print font	
Text14 print position x-axis	
Text14 print position y-axis	
Text15 (default “yuan”) print font	
Text15 print position x-axis	
Text15 print position y-axis	

Text16 (default “yuan”) print font	
Text16 print position x-axis	
Text16 print position y-axis	
Text17 (default “Text17”) print font	
Text17 print position x-axis	
Text17 print position y-axis	
Text18 (default “Text18”) print font	
Text18 print position x-axis	
Text18 print position y-axis	
Text19 (default “”) print font	
Text19 print position x-axis	
Text19 print position y-axis	
Text20 (default “(kg)”) print font	
Text20 print position x-axis	
Text20 print position y-axis	
Text21 (default “”) print font	
Text21 print position x-axis	
Text21 print position y-axis	
Text22 (default “/kg)”) print font	
Text22 print position x-axis	
Text22 print position y-axis	
Text23 (default “)”) print font	
Text23 print position x-axis	
Text23 print position y-axis	
Text24 (default “ (Kg)”) print font	
Text24 print position x-axis	
Text24 print position y-axis	
Text25 (default “ (Kg)”) print font	
Text25 print position x-axis	
Text25 print position y-axis	
Text26 (default “Text26”) print font	
Text26 print position x-axis	
Text26 print position y-axis	
Text27 (default “Text27”) print font	
Text27 print position x-axis	
Text27 print position y-axis	
Text28 (default “Text28”) print font	


Text28 print position x-axis	
Text28 print position y-axis	
Text29 (default "Text29") print font	
Text29 print position x-axis	
Text29 print position y-axis	
Text30 (default "Text30") print font	
Text30 print position x-axis	
Text30 print position y-axis	
Text31 (default "Text31") print font	
Text31 print position x-axis	
Text31 print position y-axis	
Text32 (default "Text32") print font	
Text32 print position x-axis	
Text32 print position y-axis	
NULL	

4.5.3 Print font instruction


Print direction illustration:




Font: 01、05、09、13、17、21、25、29



Font: 02、06、10、14、18、22、26、30



Font: 03、07、11、15、19、23、27、31



Font: 04、08、12、16、20、24、28、32

Font size state:

Font size	Size mm (chinese /character)	Angle of rotation (as shown to up chart)	Sample text (chinese/character)
1	3×3/1.5×3	180°	∇
2	3×3/1.5×3	90°	∇
3	3×3/1.5×3	0°	A
4	3×3/1.5×3	270°	∇
5	6×6/3×6	180°	∇
6	6×6/3×6	90°	∇
7	6×6/3×6	0°	A
8	6×6/3×6	270°	∇
9	6×3/3×3	180°	∇
10	6×3/3×3	90°	∇
11	6×3/3×3	0°	A
12	6×3/3×3	270°	∇
13	3×6/1.5×6	180°	∇
14	3×6/1.5×6	90°	∇
15	3×6/1.5×6	0°	A
16	3×6/1.5×6	270°	∇
17	none/1×2	180°	∇
18	none /1×2	90°	∇
19	none /1×2	0°	A
20	none /1×2	270°	∇
21	none /2×4	180°	∇
22	none /2×4	90°	∇
23	none /2×4	0°	A
24	none /2×4	270°	∇
25	none /2×2	180°	∇
26	none /2×2	90°	∇
27	none /2×2	0°	A
28	none /2×2	270°	∇
29	none /1×4	180°	∇
30	none /1×4	90°	∇
31	none /1×4	0°	A
32	none /1×4	270°	∇

4.6 IP Address setup

※ This setup apply to ethernet electronic scale

4.6.1 Initialization network card IP Address

Initialization network card IP address

Operation	Display
Standby	
Press FUNC	
Press ENTER	
Press ENTER , initialization network IP address, go back to standby state	

After initializing network, IP address of network is :192.168.0.150

4.6.2 Manually modify network IP address

Manually modify network IP address (For instance change IP to: 192.168.0.10)

Operation	Display
Standby	
Press FUNC	
Press ENTER , press TARE	
Press ENTER , input 192, press TARE input 168, press TARE input 0, press TARE input 10	
Press PRINT , TARE or ZERO select save or not, press CLEAR to save and then return to standby state.	

Chapter V Content edit

5.1 PLU information edit

This scale can store 4000 PLU

Step	Operation	Display																
0	Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000															
ZERO																		
N. W(kg)	U. P(\$/kg)	T. P(\$)																
0.000	0.00	0.00																
1	Press FUNC get in commodity information setup item	<table border="1"> <tr> <td>TEXT FORMAT</td> <td></td> </tr> <tr> <td>NETWORK IP</td> <td></td> </tr> <tr> <td>COMMODITY INFO</td> <td>☞</td> </tr> <tr> <td>SPECIAL INFO</td> <td></td> </tr> </table>	TEXT FORMAT		NETWORK IP		COMMODITY INFO	☞	SPECIAL INFO									
TEXT FORMAT																		
NETWORK IP																		
COMMODITY INFO	☞																	
SPECIAL INFO																		
2	Press ENTER , input number key to select PLU, for instance: No.2 PLU	<table border="1"> <tr> <td colspan="2">COMMODITY EDIT 1</td> </tr> <tr> <td>TARE</td> <td>0.010 ☞</td> </tr> <tr> <td>PRICE</td> <td>10.50</td> </tr> <tr> <td>WEIGHT TYPE</td> <td>WEIGHT</td> </tr> </table>	COMMODITY EDIT 1		TARE	0.010 ☞	PRICE	10.50	WEIGHT TYPE	WEIGHT								
COMMODITY EDIT 1																		
TARE	0.010 ☞																	
PRICE	10.50																	
WEIGHT TYPE	WEIGHT																	
3	Press ENTER , input tare value, (notice: tare weight is fixed weight value under fixed weight mode state); press TARE , input unit price (notice: price of per kilogram); press TARE , then press ENTER , select computing price mode: ①weighing ②counting ③fixed weight	<table border="1"> <tr> <td colspan="2">COMMODITY EDIT 1</td> </tr> <tr> <td>TARE</td> <td>0.01 WEIGHT ✓ ☞</td> </tr> <tr> <td>PRICE</td> <td>10.5 COUNT</td> </tr> <tr> <td>WEIGHT TYPE</td> <td>WEI FIX WEIGHT</td> </tr> </table>	COMMODITY EDIT 1		TARE	0.01 WEIGHT ✓ ☞	PRICE	10.5 COUNT	WEIGHT TYPE	WEI FIX WEIGHT								
COMMODITY EDIT 1																		
TARE	0.01 WEIGHT ✓ ☞																	
PRICE	10.5 COUNT																	
WEIGHT TYPE	WEI FIX WEIGHT																	
7	Press MUTI get in next page, press TARE , input particular information number (0, 1, 2, 3); press TARE , input effective days (max 999days); press TARE , input commodity code (5digits or 6digits)	<table border="1"> <tr> <td colspan="2">COMMODITY EDIT 1</td> </tr> <tr> <td>SPECIAL NO</td> <td>0 ☞</td> </tr> <tr> <td>VALID DAYS</td> <td>80</td> </tr> <tr> <td>PLU CODE</td> <td>900001</td> </tr> </table>	COMMODITY EDIT 1		SPECIAL NO	0 ☞	VALID DAYS	80	PLU CODE	900001								
COMMODITY EDIT 1																		
SPECIAL NO	0 ☞																	
VALID DAYS	80																	
PLU CODE	900001																	
10	Press MUTI get in next page then press TARE , input zone bit of a bar code, suppose zone bit is 20, then input 20	<table border="1"> <tr> <td colspan="2">COMMODITY EDIT 1</td> </tr> <tr> <td>SPECIAL NO</td> <td>900001 ☞</td> </tr> <tr> <td>VALID DAYS</td> <td>20</td> </tr> <tr> <td>PLU CODE</td> <td>text</td> </tr> </table>	COMMODITY EDIT 1		SPECIAL NO	900001 ☞	VALID DAYS	20	PLU CODE	text								
COMMODITY EDIT 1																		
SPECIAL NO	900001 ☞																	
VALID DAYS	20																	
PLU CODE	text																	
11	Press TARE , press ENTER , input commodity name, input 3 digits number of the 1 st letter ASCII code (for example:input "test", look up ASCII code table that is "t"="116,) input 116	<table border="1"> <tr> <td colspan="2">COMMODITY EDIT 1</td> </tr> <tr> <td>SPECIAL NO</td> <td>116 ☞</td> </tr> <tr> <td>VALID DAYS</td> <td>t</td> </tr> <tr> <td>PLU CODE</td> <td></td> </tr> </table>	COMMODITY EDIT 1		SPECIAL NO	116 ☞	VALID DAYS	t	PLU CODE									
COMMODITY EDIT 1																		
SPECIAL NO	116 ☞																	
VALID DAYS	t																	
PLU CODE																		

12	Press TARE , input 3 digits number of the 2 nd letter ASCII code (look up outcome “e”=“101”) then input 101	<table border="1"> <tr><th colspan="2">COMMODITY EDIT</th><th>1</th></tr> <tr><td>SPECIAL NO</td><td></td><td>101</td></tr> <tr><td>VALID DAYS</td><td>te</td><td></td></tr> <tr><td>PLU CODE</td><td></td><td></td></tr> </table>	COMMODITY EDIT		1	SPECIAL NO		101	VALID DAYS	te		PLU CODE						
COMMODITY EDIT		1																
SPECIAL NO		101																
VALID DAYS	te																	
PLU CODE																		
13	Press TARE , input 3 digits of the 3 rd letter ASCII code (“s”=“115”) input 115	<table border="1"> <tr><th colspan="2">COMMODITY EDIT</th><th>1</th></tr> <tr><td>SPECIAL NO</td><td></td><td>120</td></tr> <tr><td>VALID DAYS</td><td>tes</td><td></td></tr> <tr><td>PLU CODE</td><td></td><td></td></tr> </table>	COMMODITY EDIT		1	SPECIAL NO		120	VALID DAYS	tes		PLU CODE						
COMMODITY EDIT		1																
SPECIAL NO		120																
VALID DAYS	tes																	
PLU CODE																		
14	Press TARE , input 3 digits of the 4 th letter ASCII code (“t”=“116”) input 116	<table border="1"> <tr><th colspan="2">COMMODITY EDIT</th><th>1</th></tr> <tr><td>SPECIAL NO</td><td></td><td>116</td></tr> <tr><td>VALID DAYS</td><td>test</td><td></td></tr> <tr><td>PLU CODE</td><td></td><td></td></tr> </table>	COMMODITY EDIT		1	SPECIAL NO		116	VALID DAYS	test		PLU CODE						
COMMODITY EDIT		1																
SPECIAL NO		116																
VALID DAYS	test																	
PLU CODE																		
15	Press PRINT , TARE or ZERO select save or not, press CLEAR to save then return to standby state.	<table border="1"> <tr><td>STAB</td><td>VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td>0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000															
ZERO																		
N. W(kg)	U. P(\$/kg)	T. P(\$)																
0.000	0.00	0.00																

5.2 Particular information edit

This scale can be set 10 hanzi particular information(number from 1~10) and 12 character particular information(number from 11~22),can obtain any 3 informations per PLU information to print if using lable paper; if using continuing paper , therein 1~4 hanzi particular information correspond 1~4 row to gauge head, 5~8 correspond 1~4 row to end of gauge. Max 30 hanzi per hanzi information, Max 30 characters per character information.

Operation	Display																
Standby	<table border="1"> <tr><td>STAB</td><td>VAHAN SCALE</td><td>TARE</td><td>0.000</td></tr> <tr><td>ZERO</td><td></td><td></td><td></td></tr> <tr><td>N. W(kg)</td><td>U. P(\$/kg)</td><td>T. P(\$)</td><td></td></tr> <tr><td>0.000</td><td>0.00</td><td>0.00</td><td></td></tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Press FUNC , select particular edit item	<table border="1"> <tr><td>TEXT FORMAT</td><td></td></tr> <tr><td>NETWORK IP</td><td></td></tr> <tr><td>COMMODITY INFO</td><td></td></tr> <tr><td>SPECIAL INFO</td><td></td></tr> </table>	TEXT FORMAT		NETWORK IP		COMMODITY INFO		SPECIAL INFO									
TEXT FORMAT																	
NETWORK IP																	
COMMODITY INFO																	
SPECIAL INFO																	
Press ENTER , input number to choose particular information number, for example: No.1 particular information	<table border="1"> <tr><td>TEXT FORMAT</td><td></td></tr> <tr><td>SPECIAL INFO</td><td></td></tr> </table>	TEXT FORMAT		SPECIAL INFO													
TEXT FORMAT																	
SPECIAL INFO																	
Press ENTER , start to edit the 1 st particular information (e.g, input good)to input ASCII code correspond to the 1 st letter “g”(“g”=103)	<table border="1"> <tr><td>TEXT FORMAT</td><td></td></tr> <tr><td>SPECIAL INFO</td><td>103</td></tr> <tr><td>g</td><td></td></tr> </table>	TEXT FORMAT		SPECIAL INFO	103	g											
TEXT FORMAT																	
SPECIAL INFO	103																
g																	
Press TARE , input ASCII code correspond to the 2 nd letter “o” (“o”=111)	<table border="1"> <tr><td>TEXT FORMAT</td><td></td></tr> <tr><td>SPECIAL INFO</td><td>111</td></tr> <tr><td>g o</td><td></td></tr> </table>	TEXT FORMAT		SPECIAL INFO	111	g o											
TEXT FORMAT																	
SPECIAL INFO	111																
g o																	

<p>Press TARE, input ASCII code correspond to the 3rd letter “o” (“o”=111)</p>	
<p>Press TARE, input ASCII code correspond to the 4th letter “d” (“d”=100)</p>	
<p>Press TARE, input 0000, then always input 0000 all following, break up compose particular information</p>	
<p>Press PRINT, TARE or ZERO to select save or not, press CLEAR to save then return to standby state.</p>	

5.3 Text edit

This scale can set 16 (from 1~16)hanzi text and 16 character information(from 17~32): max 30 hanzi per hanzi text, max 30 character per characer information. (notice: can use zone bit code to input hanzi text; use ASCII code to input character text.)

Operation	Display
Standby	
Press FUNC , press MUTI twice , get in edit text item	
Press ENTER , input number to edit the 1 st character text edit (e.g: Vahan)	
Press ENTER , input the 1 st letter ASCII code:(“D”=068)	
Press TARE , input the 2 nd letter ASCII code:(“a”=097)	
Press TARE , input the 3 rd letter ASCII code:(“h”=104)	

<p>Press TARE, input the 4th letter ASCII code: (“u”=117)</p>	
<p>Press TARE, input the 5th letter ASCII code: (“a”=097)</p>	
<p>Press PRINT, TARE or ZERO to select save or not, press CLEAR to save then return to standby state.</p>	

Chapter VI Statistic

This scale can make time bucket daily report、sell daily report、single commodity daily report

6.1 Time slot daily report

Operation	Display
Standby	
<p>Press FUNC, get in report statistic setting item</p>	
<p>Press ENTER, get in time bucket daily report setting item</p>	
<p>Press ENTER, input year, press TARE, input month, press TARE, input date, press TARE, input time, press ENTER to print</p>	
Return to standby state	

6.2 Daily sell report

Operation	Display
-----------	---------

Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
Press FUNC , get in report statistic item	<table border="1"> <tr> <td>RECORD REPORT</td> <td>→</td> </tr> <tr> <td>SYSTEM PARAM</td> <td></td> </tr> <tr> <td>DATE&TIME</td> <td></td> </tr> <tr> <td>LABEL FORMAT</td> <td></td> </tr> </table>	RECORD REPORT	→	SYSTEM PARAM		DATE&TIME		LABEL FORMAT									
RECORD REPORT	→																
SYSTEM PARAM																	
DATE&TIME																	
LABEL FORMAT																	
Press ENTER , then press MUTI , get in daily sell report item	<table border="1"> <tr> <td>RECORD REPORT</td> <td></td> <td>DAILY SELL REPORT</td> <td>→</td> </tr> <tr> <td>SYSTEM PARAM</td> <td></td> <td>DAILY REPORT OF UNIT</td> <td></td> </tr> <tr> <td>DATE&TIME</td> <td></td> <td>DAILY DETAILED REPORT</td> <td></td> </tr> <tr> <td>LABEL FORMAT</td> <td></td> <td></td> <td></td> </tr> </table>	RECORD REPORT		DAILY SELL REPORT	→	SYSTEM PARAM		DAILY REPORT OF UNIT		DATE&TIME		DAILY DETAILED REPORT		LABEL FORMAT			
RECORD REPORT		DAILY SELL REPORT	→														
SYSTEM PARAM		DAILY REPORT OF UNIT															
DATE&TIME		DAILY DETAILED REPORT															
LABEL FORMAT																	
Press ENTER , input year, press TARE , input month, press TARE , input date, press ENTER to print.	<table border="1"> <tr> <td>DATE</td> <td>2011-08-25</td> </tr> <tr> <td></td> <td></td> </tr> </table>	DATE	2011-08-25														
DATE	2011-08-25																
Return to standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

6.3 Single commodity time slot report

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															
press ENTER , get into options of time slot daily report	<table border="1"> <tr> <td>RECORD REPORT</td> <td>→</td> </tr> <tr> <td>SYSTEM PARAM</td> <td></td> </tr> <tr> <td>DATE&TIME</td> <td></td> </tr> <tr> <td>LABEL FORMAT</td> <td></td> </tr> </table>	RECORD REPORT	→	SYSTEM PARAM		DATE&TIME		LABEL FORMAT									
RECORD REPORT	→																
SYSTEM PARAM																	
DATE&TIME																	
LABEL FORMAT																	
press ENTER , press MUTI , then press TARE , press ENTER , get into single commodity sell daily report	<table border="1"> <tr> <td>RECORD REPORT</td> <td></td> <td>DAILY SELL REPORT</td> <td>→</td> </tr> <tr> <td>SYSTEM PARAM</td> <td></td> <td>DAILY REPORT OF UNIT</td> <td></td> </tr> <tr> <td>DATE&TIME</td> <td></td> <td>DAILY DETAILED REPORT</td> <td></td> </tr> <tr> <td>LABEL FORMAT</td> <td></td> <td></td> <td></td> </tr> </table>	RECORD REPORT		DAILY SELL REPORT	→	SYSTEM PARAM		DAILY REPORT OF UNIT		DATE&TIME		DAILY DETAILED REPORT		LABEL FORMAT			
RECORD REPORT		DAILY SELL REPORT	→														
SYSTEM PARAM		DAILY REPORT OF UNIT															
DATE&TIME		DAILY DETAILED REPORT															
LABEL FORMAT																	
press ENTER , input year, press TARE , input month, press TARE , input date, press TARE , input commodity serial number, press ENTER printing	<table border="1"> <tr> <td>DATE</td> <td>2011-08-25</td> </tr> <tr> <td>PLU NO</td> <td>3</td> </tr> <tr> <td></td> <td></td> </tr> </table>	DATE	2011-08-25	PLU NO	3												
DATE	2011-08-25																
PLU NO	3																
return to standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> <td></td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> <td></td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N. W(kg)	U. P(\$/kg)	T. P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N. W(kg)	U. P(\$/kg)	T. P(\$)															
0.000	0.00	0.00															

Chapter VII Clear

7.1 Clear away statistic data

Notice: carry out this command will delete all records of trade, and unrecoverable, please cautiously use the function.

Operation	Display																
standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td colspan="2">T.P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N.W(kg)	U.P(\$/kg)	T.P(\$)															
0.000	0.00	0.00															
press ENTER , press MUTI get into options of clear statistics data	<table border="1"> <tr> <td>TEXT INFO</td> <td></td> </tr> <tr> <td>CLEAR RECORD</td> <td>↔</td> </tr> <tr> <td>INITIAL</td> <td></td> </tr> <tr> <td>CLEAR GOODS</td> <td></td> </tr> </table>	TEXT INFO		CLEAR RECORD	↔	INITIAL		CLEAR GOODS									
TEXT INFO																	
CLEAR RECORD	↔																
INITIAL																	
CLEAR GOODS																	
press ENTER , after clear up return to standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td colspan="2">T.P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N.W(kg)	U.P(\$/kg)	T.P(\$)															
0.000	0.00	0.00															

7.2 Initialize electronic information

Remark: It will clear away all of the electronic scale information,including PLU information,lable information,reports, and all of correlative settings,, and unrecoverable, so please cautiously using this function.

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td colspan="2">T.P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N.W(kg)	U.P(\$/kg)	T.P(\$)															
0.000	0.00	0.00															
Press ENTER , press MUTI get in initialize scale option	<table border="1"> <tr> <td>TEXT INFO</td> <td></td> </tr> <tr> <td>CLEAR RECORD</td> <td>↔</td> </tr> <tr> <td>INITIAL</td> <td></td> </tr> <tr> <td>CLEAR GOODS</td> <td></td> </tr> </table>	TEXT INFO		CLEAR RECORD	↔	INITIAL		CLEAR GOODS									
TEXT INFO																	
CLEAR RECORD	↔																
INITIAL																	
CLEAR GOODS																	
Press ENTER , return to standby state after clear away	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td colspan="2">T.P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N.W(kg)	U.P(\$/kg)	T.P(\$)															
0.000	0.00	0.00															

7.3 Clear commodity information

Notice: This function for clearing away PLU information, and unrecoverable, please cautiously using this function.

Operation	Display																
Standby	<table border="1"> <tr> <td>STAB</td> <td>VAHAN SCALE</td> <td>TARE</td> <td>0.000</td> </tr> <tr> <td>ZERO</td> <td></td> <td></td> <td></td> </tr> <tr> <td>N.W(kg)</td> <td>U.P(\$/kg)</td> <td colspan="2">T.P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td colspan="2">0.00</td> </tr> </table>	STAB	VAHAN SCALE	TARE	0.000	ZERO				N.W(kg)	U.P(\$/kg)	T.P(\$)		0.000	0.00	0.00	
STAB	VAHAN SCALE	TARE	0.000														
ZERO																	
N.W(kg)	U.P(\$/kg)	T.P(\$)															
0.000	0.00	0.00															

<p>press ENTER,press MUTI get into options of clear commodity information</p>	<table border="1"> <tr><td>TEXT INFO</td><td></td></tr> <tr><td>CLEAR RECORD</td><td></td></tr> <tr><td>INITIAL</td><td></td></tr> <tr><td>CLEAR GOODS</td><td>↔</td></tr> </table>	TEXT INFO		CLEAR RECORD		INITIAL		CLEAR GOODS	↔	
TEXT INFO										
CLEAR RECORD										
INITIAL										
CLEAR GOODS	↔									
<p>press MUTI,after clear return to standby</p>	<table border="1"> <tr> <td>STAB ZERO</td> <td>VAHAN SCALE</td> <td>TARE 0.000</td> </tr> <tr> <td>N. W(kg)</td> <td>U. P(\$/kg)</td> <td>T. P(\$)</td> </tr> <tr> <td>0.000</td> <td>0.00</td> <td>0.00</td> </tr> </table>	STAB ZERO	VAHAN SCALE	TARE 0.000	N. W(kg)	U. P(\$/kg)	T. P(\$)	0.000	0.00	0.00
STAB ZERO	VAHAN SCALE	TARE 0.000								
N. W(kg)	U. P(\$/kg)	T. P(\$)								
0.000	0.00	0.00								

Chapter VIII Computer installation software

8.1 System request

Operate system:

The PC software of this scale apply to WIN2000、 WIN NT or higher version operate system.

8.2 Installation

The PC software of this scale generally using optical disk install automatically, namely: insert the optical disk into CD-driver, automatically popup install interface, according to prompts to step in.

8.3 Main function

User can achieve all sets of the scale through software, upload and download data etc,operations, details as follows :

- ✓ Set、 edit、 upload and download PLU、 particular information、 Text content etc.all kinds of informations;
- ✓ Set PLU shortcut keys and print their content;
- ✓ Freedom design lable formats;
- ✓ Set up of system parameters ;
- ✓ Seek、 edit electronic scale IP address;
- ✓ Upload and download lable format;
- ✓ Upload electronic scale sell detailed statement and print all kinds of comprehensive statements etc.。



Warning and matters need attention

Warning

- Using in following occasions for prohibition:
 1. Vibrate、 wabbly occasions;
 2. Air-condition、 fan wind blow straightly occasions;
 3. Dusty 、 humid occasions;
 4. Flammable 、 explosive occasions;
- Scale must connect to power socket with well ground connection, otherwise it will bring about personal injury。
- Scale connect to other devices, please make sure cut off power supply first at all, otherwise it will bring about scale and device be damaged。
- Prohibit to insert or pull out communication interface when power on or electronic scale is on work, e.g: parallel 、 serial interface etc.。
- Prohibit for inserting and pulling out power supply plug under device non-shutdown。
- Printer used in this scale is thermal printer, using merely quality qualified thermal print paper, please make certain print paper type before fill in print paper, otherwise bring about printer head and printer irreversible damaged .

Matters need attention

- Put the scale on smooth terrace. Make sure spirit-bubble in the center of spirit level through adjusting four of the feet screws, to confirm the scale is under level state to ensure accurate of the weighing。
- If printer prints error or displays error, or cannot print promptly, all declare there are some malfunctions with the scale, first of all, inspect print paper if installs well, or print gauge joints well, checks any sundries on light sensation sensor. Should clean up printer、 clean up print gauge ,clean up inside and outside the scale, and please scrub print gauge per month. The print paper should be dried then fill in.
- Fill in print paper anew, if the print key invalid or print error, adjust again, fill print paper afresh, check print paper.
- Please cautiously disassemble scale, don't fall scale down and don't shake the scale or strong impact; once find weight exceeded max capacity of the scale, please remove weight at once, otherwise the scale will be permanent damaged。
- Forbidden to put anything on the scale tray when the scale power on, should put scale on flat place in package if the scale unused for long-term, and forbidden to put anything on the scale when the scale is not being used.
- If find the weight value display astable, should timely inspect reasons, check any electromagnetic interference, e.g: cell phone, television, refrigerator etc. strong disturbance of magnetic field。

- Serial port RS232 communication wire length should not exceed 8 meters, network port TCP/Ip communication wire length should not exceed 1000 meters 。
- Avoid destroying surface of board please don't use nails to press keys。

Matters need attention for users

According to national quality inspection and quarantine about electron apparatus industry instruction spirit, all electron weighing apparatus productions manufactured by our company:

1. Clients and users please don't adjust and calibrate secretly。 All adjustments and calibrations should be conducted by the government metrological service or authorised maintenance center;
2. All electron weighing apparatus productions manufactured by our company will be sold by professional retailers、 legal enterprises and any other qualificatory retailers. The retailers will in charge of other products quality;
3. All electron weighing apparatus productions manufactured by our company, as lead seal is destroyed, should readjust and calibration in which institution approved qualificatory of authentication and package with lead seal。 otherwise, our factory wouldn't responsible for the quality of the products;
4. Electronic apparatus exceed half a year from EX-factory date, should recalibrate in which inspection institutions identified by national or return to factory to recalibrate , then to sell after up to standard;
5. Electronic apparatus exceed one year and a half from EX-factory date, should bring scale to manufacturer, or inspection institutions identified by national or qualificatory of authentication to verify, otherwise users undertake any consequences;
6. Any electronic apparatus manufactured by our company, request to usualness metering verify。 Suggest preparing a standard test weight for checking, or proofread contrast with a standard scale。 If occur any abnormal phenomenons, should timely bring to qualificatory verification maintenance center, or user undertake any consequences。

VAHAN INTERNATIONAL INDUSTRIAL COMPANY LIMITED

Sales office address : Rm.5B, Bld. 39B, DongLe Garden, BuXin Road, LuoHu Dist.,ShenZhen, China.

Sales office hotline: +86-0755-25012997; +86-13662277450

Sales office fax: +86-0755-25012997

Factory address: GoldenBridgeRd ,shanghai

WEB: <http://www.vahantech.com>

E-mail: sales@vahantech.com OR info@vahantech.com

